## CCLRD -

#### **Camp and Center Lakes Rehabilitation District**

Tom Strachan, Chairman
Becky Moe, Secretary
Charles Walker, Treasurer
Dennis Faber, Village of Salem Lakes
Adam Knowles, Commissioner

October 31, 2022

Mr. Craig Helker DNR Water Resources Biologist Sturtevant Service Center 9531 Rayne Road, Suite 4 Sturtevant, WI 53177

Dear Mr. Helker,

The following is the information required as a condition for the Camp, Center Lake Rehabilitation District's Aquatic Harvesting Permit.

1. Starting and ending harvesting dates:

Starting date: June 7, 2022

Ending date: August 16, 2022

2. Map of harvesting areas:

See Exhibit I:

Maps of Camp and Center Lakes identifying the harvesting areas on each lake.

3. Harvester Load Summary

See Exhibit II:

4. Harvested Tonnage Summary See Exhibit III:

Note:

Eurasian Milfoil, Widgeon Grass and "Other Species" are the aquatic species that were tabulated. The "Other Species" harvested are Common Water Weed, Coontail, Northern Water Milfoil, Sago Pondweed, Wild Celery, and a verity of other Pondweed species however; the quantity of these species is undeterminable because they are mixed in with all the species harvested. Every effort is made to avoid harvesting native plants.

#### 2022 Summary:

Harvest loads were 280.8 or 44.24% less than 2021 or 222.8 less loads than 2021.

For 2022 a full lake chemical treatment was applied to Camp Lake which resulted in virtually eliminating Eurasian Milfoil.

2022 also had low lake levels because of a lack of rain which resulted in less run-off nutrients fertilizing plant growth as has happened in years past.


In summary, lake recreation conditions in both lakes was excellent for 2022

Best regards,

Dennis Faber
Harvesting Administrator


EXHIBIT I (Camp Lake)

# CAMP LAKE HARVESTING LOCATION MAP



## CENTER LAKE HARVESTING MAP

EXHIBIT I (Center Lake)



#### **EXHIBIT II**

# CAMP LAKE HARVESTER LOAD SUMMARY BY AQUATIC SPECIES

Location:	CA 1	CA 2	CA 3	CA 4	CA 5	CA 6	CA 7	TOTAL
MILFOIL:								
Year: 2002	121.4	150.1	182.2	30.6	340.6	193.6	52.6	1,071.1
2003	105	169	133	33.4	349.6	95	42.6	927.6
2004	3	16.8	4	6.4	27.6	44	49.6	151.4
2005	72.6	33	15.4	55.4	503.2	64	13.6	756.4
2006	8	16	9.5	23.6	313.8	7.2	11.6	389.8
2007	16.4	0	2.8	4.4	615.6	10.4	2	651.6
2008	.6	1.6	2.4	7.2	289.4	4.2	22	327.5
2009	28.1	12	17.4	17.8	39.6	90.6	12.6	218.1
2010	4.1	12.4	12.1	34.5	19	57.7	42	181.8
2011	.2	1.2	.4	1.2	40.9	15	2	60.9
2012	0	12	0	.4	26	.6	0	39
2013	4.8	2.8	6.4	2	65	3.6	1.4	86
2014	0	0	2.7	2	273.5	0	.4	278.6
2015	4	.8	7.5	28.6	377.2	2.1	14	434.2
2016	0	.4	0	.2	11.0	8.2	.2	20.0
2017	.8	0	0	0	0	1.6	.8	3.2
2018	0	0	0	0	0	0	2	2
2019	.6	.5	4.975	.7	22.25	6.45	2	37.
2020	1	0	1.6	1.9	28.2	.9	0	33.6
2021	32.1	30.5	8.1	4.45	130.2	5.2	4.4	214.95
2022	.9	0	0	4.4	54.35	.5	.6	60.75

#### **WIDGEON GRASS:**

Year	2002	18.6	42.8	33.8	5.4	41.4	47.4	11.4	200.8
	2003	27.9	78	87.7	20.6	130.8	55	13.4	413.4
	2004	3	4.8	0	1.6	4.4	12.6	30.6	57
	2005	65	12	36.6	33.6	306.8	67.6	25.6	547.2
	2006	66.5	5	41.5	8.4	229.6	17.2	10	378.2
	2007	18	0	.8	.5	221.8	9.6	2	253.2
	2008	5.4	.4	1.6	6.8	262.6	6.6	15	298.2
	2009	36.4	20	30	42.8	281.6	78.8	15	504.6
	2010	14.3	7.2	19.1	47.7	6.3	41.8	78.8	215.2
	2011	.4	2.4	4	10.8	433.1	73.6	14.4	538.7
	2012	3.2	15.2	30	59.8	254.8	43.5	17	423.5
	2013	4	2.4	5.6	3.2	81.4	4.4	.8	101.8
	2014	0	0	1.5	2	211.6	0	.2	215.3
	2015	4.4	9.4	6.5	20.6	344.8	.4	6	392.1
	2016	0	0	0	.2	44.5	7.2	0	51.9
	2017	3.2	0	0	4	0	1.8	2.4	11.4
	2018	0	0	0	1	0	0	1	2
	2019	5.3	.1	.8	1	14	2.15	1	24.
	2020	.5	0	1.8	0	7.1	.3	0	9.7
	2021	1.4	0	.2	0	2.8	0	0	4.4
	2022	.3	0	0	0	0	.6	0	.9

#### **OTHER SPECIES:**

Year	2010	11.2	1.5	37.4	44.4	6.7	78.5	102.2	281.9
	2011	1.4	4.4	3.6	2	174	67.4	15.6	268.4
	2012	4.8	16	24	6.8	156	16.9	0	224.5
	2013	17.2	12.8	24	6.8	75.6	16	3.8	156.2
	2014	0	0	4.8	0	27.7	0	.4	32.9
	2015	3.6	1.8	1	6.8	7	5.5	.0	25.7
	2016	0	4	6	3.6	35.5	36.4	4.6	90.1
	2017	4	2	4	3	3	18.2	6.8	41
	2018	2	1	2	1	1	5	2	14
	2019	1.1	.85	4.575	3.3	46.35	14.4	11	82
	2020	21.1	0	16.6	7.1	192.9	5.8	10	253.5
	2021	34.65	6.5	9.7	3.55	89	2.8	4.6	150.8
	2022	7.8	0	0	6.6	104	1.9	4	124.3

#### CAMP LAKE TOTAL HARVESTER LOADS MILFOIL, WIDGEON GRASS & OTHER SPECIES:

Location:	CA 1	CA 2	CA 3	CA 4	CA 5	CA 6	CA 7	TOTAL
Year 2002 2003 2004 2005 2006 2007 2008	140 132.9 6 137.4 74.8 34.4 6	192.9 247 21.6 45 21 0	216 220.7 4 52 51 3.6 4	36 54 8 88 32 5.4 13.8	382 480.4 32 810 543.4 837.4 552	241 150 56.6 131.6 24.2 40 11	64 56 80.2 39 21.2 4 37	1,271.9 1,341 108.4 1,303 768 904.8 625.8
2009	64.4	32	47.4	60.6	321.3	169.4	27.6	722.7
2010	29.6	34.6	68.6	126.6	32	178	223	692.4
2011	2	8	8	14	648	156	32	868
2112	8	43.2	54	67	436.8	61	17	687
2013	26	18	36	12	222	24	6	344
2014	0	0	9	4	512.8	0	1	526.8
2015	12	12	15	56	729	8	20	852
2016	0	4.4	6	4	91	51.8	4.8	162
2017	8	2	4	7	3	21.6	10	55.6
2018	2	1	2	2	1	5	5	18
2019	7	1	10.5	5	82.6	23	14	143
2020	22.6	0	20	9	228.2	7	10	296.8
2021	68.15	37	18	8	222	8	9	370.15
2022	9	0	0	11	158.35	3	4.6	185.95

# CENTER LAKE HARVESTER LOAD SUMMARY BY AQUATIC SPECIES

Location:	CE 1	CE 2	CE 3	CE 4	CE 5	CE 6	CE 7	TOTAL
MILFOIL:								
Year: 2002	47.5	22.6	11.75	3.6	18.9	47.8	14.4	166.55
2003	52.9	26	26.8	21.5	16.4	46.2	10.8	200.6
2004	61.6	16.6	18.2	29.8	8.4	109.4	79.8	323.8
2005	129.8	14	8.6	10.6	26.6	39	40	268.6
2006	46.8	26	3	1.5	9.8	5.8	5.6	98.5
2007	6.5	0	0	0	3	6.4	7	22.9
2008	60.6	.8	3.6	7.5	3	7	2.8	85.2
2009	11.2	0	0	0	1.6	15.2	4.6	32.6
2010	19.9	4.8	0	1.4	0	1.2	0	27.3
2011	5.2	0	.6	0	0	0	0	5.8
2012	33.2	0	0	0	0	0	0	33.2
2013	7.8	1.3	2.4	0	1.7	.7	1.3	15.2
2014	0	1.2	0	0	0	0	0	1.2
2015	.4	0	0	0	0	0	0	.4
2016	0	0	0	0	0	0	0	0
2017	0	0	3.3	0	0	0	0	3.3
2018	3	0	0	0	0	0	0	3
2019	6.3	2.15	4.7	.4	.65	2.8	.45	17.
2020	.4	.5	.3	0	0	0	0	1.2
2021	7	21.1	10.6	3.5	6.4	34.5	0	83.1
2022	3.5	26.1	10.4	0	8.2	12.5	3	63.7

#### **WIDGEON GRASS:**

Year: 2002	7	2.4	1.25	.4	2.1	8.2	1.6	22.45
2003	11.1	4	4.2	4.5	2.6	24.8	3.2	54.4
2004	14.4	9.4	3.8	6.2	1.6	44.6	26.2	106.2
2005	10.2	4	4.6	.4	5.4	14.10	0	38.8
2006	.2	0	0	.50	1.2	4.2	2.6	8.7
2007	7.5	0	0	0	0	10	5	22.5
2008	14.4	2.4	.4	.6	3	6	.4	27.2
2009	3	0	0	0	2.4	13.6	3.4	22.4
2010	2.9	.8	0	0	0	0	0	3.7
2011	.3	0	3.1	0	0	0	0	3.4
2012	0	0	0	0	0	0	0	0
2013	0	0	0	0	0	.4	0	.4
2014	.5	.8	.6	0	.6	1.6	0	4.1
2015	1	0	0	0	.8	17.6	0	19.4
2016	0	0	0	0	0	0	0	0
2017	.8	0	.2	0	0	0	0	1
2018	0	0	0	0	0	1	0	1
2019	5.4	.15	.10	0	.20	.9	.30	7.
2020	.6	.5	0	0	.5	0	0	1.6
2021	0	6.9	6	3.5	0	13.1	0	29.5
2022	0	4.6	6.1	0	.4	2.1	3	16.2

#### **OTHER SPECIES:**

Year	2010	9.9	2.4	0	.6	0	.8	0	13.7
	2011	5.5	0	10.9	0	0	0	0	16.4
	2012	22.8	0	0	0	0	0	14	36.8
	2013	44.2	3.7	5.6	0	7.3	9.9	13.7	84.4
	2014	10.5	4	5.4	0	2.4	5	5	32.3
	2015	18.6	0	0	0	3.2	.4	12	34.2
	2016	52	0	0	0	0	14	13	79
	2017	20.2	0	8.5	0	0	0	4	32.7
	2018	10	0	2	0	0	0	1	13
	2019	20.3	6.7	2.2	3.6	2.15	5.3	11.25	52
	2020	9	8	27.7	0	5.5	0	4	54.2
	2021	3.5	9.3	3.4	0	1.6	2.6	0	20.4
	2022	1.5	4.3	4.5	0	3.4	1.2	0	14.9

#### CENTER LAKE TOTAL HARVESTER LOADS MILFOIL, WIDGEON GRASS & OTHER SPECIES:

Year: 2	2002	54	25	13	4	21	56	16	189
	2003	64	30	31	26	19	71	14	255
	2004	76	26	22	36	10	154	106	430
	2005	140	18	13.2	12	32	53.2	40	308.4
	2006	47	26	3	2	11	10	8.2	107.2
	2007	14	0	0	0	3	16.4	12	45.4
	2008	75	3	4	8	6	13	3.2	112.2
	2009	14.2	0	0	0	4	28.8	8	55
	2010	32.7	8	0	2	0	2	0	44.7
	2011	11	0	14.6	0	0	0	0	25.6
	2012	56	0	0	0	0	0	14	70
	2013	52	5	8	0	9	11	15	100
2	2014	11	6	6	0	3	6.6	5	37.6
4	2015	20	0	0	0	4	18	12	54
4	2016	52	0	0	0	0	14	13	79
4	2017	21	0	12	0	0	0	4	37
4	2018	13	0	2	0	0	1	1	17
2	2019	34	9	7	4	.65	9	12	76
2	2020	10	9	28	0	6	0	4	57
2	2021	10.5	37.3	20	7	8	50.2	0	133
	2022	5	35	21	0	12	15.8	6	94.8

# TOTAL CAMP, CENTER LAKE HARVESTER LOAD SUMMARY BY AQUATIC SPECIES

		_ : :: 40::::: 0: _ 0: _ 0: _ 0
MILFOIL:		
Year: 2002	1,237.65	
2003	1,128.2	<ul> <li>9% less than 2002 or 54.7 less loads than 2002</li> </ul>
2004	475.2	<ul> <li>58% less than 2003 or 326.5 less loads than 2003</li> </ul>
2005	1,025	+116% more than 2004 or 274.5 more loads than 2004
2006	488.2	<ul> <li>52% less than 2005 or 268.4 less loads than 2005</li> </ul>
2007	674.5	+ 38% more than 2006 or 93.2 more loads than 2006
2008	412.6	<ul> <li>39% less than 2007 or 131 less loads than 2007</li> </ul>
2009	250.8	<ul> <li>39% less than 2008 or 80 less loads than 2008</li> </ul>
2010	209	<ul> <li>17% less than 2009 or 41.8 less loads than 2009</li> </ul>
2011	66.7	- 69% less than 2010 or 142.3 less loads than 2010
2012	72.2	+ 8% more than 2011 or 5.5 more loads than 2011
2013	101.2	+ 40% more than 2012 or 29 more loads than 2012
2014	279.8	+176% more than 2013 or 178.6 more loads than 2013
2015	434.6	+ 55% more than 2014 or 154.8 more loads than 2014
2016	20	<ul> <li>95% less than 2015 or 415 less loads than 2015</li> </ul>
2017	6.5	- 68% less than 2016 or 13.5 less loads than 2016
2018	5	<ul> <li>27% less than 2017 or 1.5 less loads than 2017</li> </ul>
2019	55	+1000% more than 2018 or 50 more loads than 2018
2020	34.8	<ul> <li>37% less than 2019 or 35 less loads than 2019</li> </ul>
2021	298.5	+758% more than 2020 or 265.7 more loads than 2020
2022	124.5	<ul> <li>58% less than 2021 or 174 less loads than 2021</li> </ul>

#### **WIDGEON GRASS:**

Year: 2002	223.25	
2003	467.8	+110% more than 2002 or 122 more loads than 2002
2004	163.2	- 65% less than 2003 or 152.3 less loads than 2003
2005	586	+258% more than 2004 or 211 more loads than 2004
2006	386.8	- 34% less than 2005 or 99.6 less loads than 2005
2007	275.7	- 29% less than 2006 or 55.6 less loads than 2006
2008	325.4	+ 18% more than 2007 or 24.9 more loads than 2007
2009	527	+ 62% more than 2008 or 100.8 more loads than 2008
2010	218.9	- 58% less than 2009 or 308.1 less loads than 2009
2011	542.1	+149% more than 2010 or 323.2 more loads than 2010
2012	423.5	<ul> <li>22% less than 2011 or 118.6 less loads than 2011</li> </ul>
2013	102.2	<ul> <li>76% less than 2012 or 321.3 less loads than 2012</li> </ul>
2014	219.4	+115% more than 2013 or 117.2 more loads than 2013
2015	411.5	+ 88% more than 2014 or 192.1 more loads than 2014
2016	51	<ul> <li>88% less than 2015 or 361 less loads than 2015</li> </ul>
2017	12.4	<ul> <li>76% less than 2016 or 38.6 less loads than 2016</li> </ul>
2018	3	<ul> <li>75% less than 2017 or 9.4 less loads than 2017</li> </ul>
2019	32	+967% more than 2018 or 29 loads more than 2018
2020	11.3	<ul> <li>65% less than 2019 or 21 less loads than 2019</li> </ul>
2021	33.9	+200% more than 2020 or 23 more loads than 2020
2022	17.1	<ul> <li>50% less than 2021 or 16 less loads than 2021</li> </ul>

## OTHER SPECIES:

2010	295.	
2011	285	- 3% less than 2010 or 10 less loads than 2010
2012	261.3	<ul> <li>8% less than 2011 or 23.7 less loads than 2011</li> </ul>
2013	240.6	<ul> <li>8% less than 2012 or 20.7 less loads than 2012</li> </ul>
2014	65.2	- 73% less than 2013 or 175.4 less loads than 2013
2015	59.9	<ul> <li>8% less than 2014 or 5.3 less loads than 2014</li> </ul>
2016	169.1	+182% more than 2015 or 109 loads more than 2015
2017	73.7	<ul> <li>- 56% less than 2016 or 95.4 loads less than 2016</li> </ul>
2018	27	<ul> <li>63% less than 2017 or 46.7 loads less than 2017</li> </ul>
2019	133	+393% more than 2018 or 106 loads more than 2018
2020	307.7	+131% more than 2019 or 175 loads more than 2019
2021	171.2	<ul> <li>44% less than 2020 or 136 loads less than 2020</li> </ul>
2022	139.2	<ul> <li>19% less than 2021 or 32 loads less than 2021</li> </ul>

### TOTAL HARVESTER LOADS MILFOIL, WIDGEON GRASS & OTHER SPECIES:

Year: 20	002 1,46	0.9	
20	003 1,59	)6 +	9% more than 2002 or 67.6 more loads than 2002
20	004 63	8.4 -	60% less than 2003 or 479 less loads than 2003
20	005 1,61	1 +	152% more than 2004 or 485.6 more loads than 2004
20	006 87	5.2 -	46% less than 2005 or 367.9 less loads than 2005
20	007 95	0.2 +	9% more than 2006 or 37.5 more loads than 2006
20	008 73	- 38	22% less than 2007 or 106 less loads than 2007
20	009 77	7.8 +	5% more than 2008 or 19.9 more loads than 2008
20	010 72	8.9 -	6% less than 2009 or 54.8 less loads than 2009
20	011 89	3.5 +	23% more than 2010 or 170.5 more loads than 2010
20	)12 75	7.0 -	15% less than 2011 or 136.5 less loads than 2011
20	013 44	-4	41% less than 2012 or 313 less loads than 2012
20	014 56	4.4 +	27% more than 2013 or 120.4 more loads than 2013
20	015 90	6 +	61% more than 2014 or 341.6 more loads than 2014
20	)16 24	- 0	74% less than 2015 or 666 less loads than 2015
20	017 9	2.6 -	62% less than 2016 or 147 less loads than 2016
20	)18 3	5 -	62% less than 2017 or 57.6 less loads than 2017
20	)19 22		59% more than 2018 or 185 more loads than 2018 (138% over 2017)
20	)20 35	3.8 +	62% more than 2019 or 134 more loads than 2019
20	)21 50	3.6 +	42% more than 2020 or 150 more loads than 2020
20	)22 28	- 8.0	44% less than 2021 or 222.8 less than 2021

#### **EXHIBIT III**

# TOTAL CAMP, CENTER LAKE TONNAGE SUMMARY:

#### TOTAL TONNAGE MILFOIL, WIDGEON GRASS & OTHER SPECIES:

Year:	2002	2,921.8	
	2003	3,192	+ 9% or 270.2 tons more than 2002
	2004	1,276.8	- 60% or 1,915.2 tons less than 2003
	2005	3,219.3	+ 152% or 1,942.5 tons more than 2004
	2006	1,750.4	- 46% or 1,468.9 tons less than 2005
	2007	1,900.4	+ 9% or 150 tons more than 2006
	2008	1,476.2	- 22% or 424.2 tons less than 2007
	2009	1,555.6	+ 5% or 79.4 tons more than 2008
	2010	1,446.8	- 7% or 108.8 tons less than 2009
	2011	1,787	+ 24% or 340 tons more than 2010
	2012	1,514	<ul> <li>15% or 273 tons less than 2011</li> </ul>
	2013	888	<ul> <li>41% or 626 tons less than 2012</li> </ul>
	2014	1,128.8	+ 27% or 240.8 tons more than 2013
	2015	1,812	+ 61% or 683.2 tons more than 2014
	2016	480	<ul> <li>74% or 1,332 tons less than 2015</li> </ul>
	2017	185.2	<ul> <li>62% or 294.8 tons less than 2016</li> </ul>
	2018	70	- 62% or 115.2 tons less than 2017
	2019	440	+529% or 370 tons more than 2018
	2020	708	+ 61% or 268 tons more than 2019
	2021	1,007	+ 42% or 299 tons more than 2020
	2022	561.6	<ul> <li>44% or 445.4 tons less than 2021</li> </ul>