
CCLRD

Camp and Center Lakes Rehabilitation District



Tom Strachan, Chairman
Becky Moe, Secretary
Charles Walker, Treasurer
Dennis Faber, Village of Salem Lakes
Adam Knowles, Commissioner

October 31, 2023

Mr. Craig Helker
DNR Water Resources Biologist
Sturtevant Service Center
9531 Rayne Road, Suite 4
Sturtevant, WI 53177

Dear Mr. Helker,

The following is the information required as a condition for the Camp, Center Lake Rehabilitation District's Aquatic Harvesting Permit.

1. Starting and ending harvesting dates:

Starting date: May 22, 2023

Ending date: September 14, 2023

2. Map of harvesting areas:

See Exhibit I:

Maps of Camp and Center Lakes identifying the harvesting areas on each lake.

3. Harvester Load Summary

See Exhibit II:

4. Harvested Tonnage Summary

See Exhibit III:

Note:

Eurasian Milfoil, Widgeon Grass and "Other Species" are the aquatic species that were tabulated. The "Other Species" harvested are Common Water Weed, Coontail, Northern Water Milfoil, Sago Pondweed, Wild Celery, and a variety of other Pondweed species however; the quantity of these species is undeterminable because they are mixed in with all the species harvested. Every effort is made to avoid harvesting native plants.

2023 Summary:

Most significant was that Milfoil loads went from 124.5 loads in 2022 down to 13.5 in 2023 or 89% less than 2022.

Total harvest loads were 207.7 or -26% less than 2022's 280.8 loads.

Drought conditions through-out the spring and summer had a severe effect on recreation in typically shallow areas in 2023.


Channel access was severely affected because of the drought.

Best regards,

Dennis Faber
Harvesting Administrator

CAMP LAKE HARVESTING LOCATION MAP

EXHIBIT I (Camp Lake)



CENTER LAKE HARVESTING MAP

EXHIBIT I (Center Lake)




EXHIBIT II

**CAMP LAKE
HARVESTER LOAD SUMMARY
BY AQUATIC SPECIES**

| Location: | CA 1 | CA 2 | CA 3 | CA 4 | CA 5 | CA 6 | CA 7 | TOTAL |
|-----------------|-------|-------|-------|------|-------|-------|------|---------|
| MILFOIL: | | | | | | | | |
| Year: 2002 | 121.4 | 150.1 | 182.2 | 30.6 | 340.6 | 193.6 | 52.6 | 1,071.1 |
| 2003 | 105 | 169 | 133 | 33.4 | 349.6 | 95 | 42.6 | 927.6 |
| 2004 | 3 | 16.8 | 4 | 6.4 | 27.6 | 44 | 49.6 | 151.4 |
| 2005 | 72.6 | 33 | 15.4 | 55.4 | 503.2 | 64 | 13.6 | 756.4 |
| 2006 | 8 | 16 | 9.5 | 23.6 | 313.8 | 7.2 | 11.6 | 389.8 |
| 2007 | 16.4 | 0 | 2.8 | 4.4 | 615.6 | 10.4 | 2 | 651.6 |
| 2008 | .6 | 1.6 | 2.4 | 7.2 | 289.4 | 4.2 | 22 | 327.5 |
| 2009 | 28.1 | 12 | 17.4 | 17.8 | 39.6 | 90.6 | 12.6 | 218.1 |
| 2010 | 4.1 | 12.4 | 12.1 | 34.5 | 19 | 57.7 | 42 | 181.8 |
| 2011 | .2 | 1.2 | .4 | 1.2 | 40.9 | 15 | 2 | 60.9 |
| 2012 | 0 | 12 | 0 | .4 | 26 | .6 | 0 | 39 |
| 2013 | 4.8 | 2.8 | 6.4 | 2 | 65 | 3.6 | 1.4 | 86 |
| 2014 | 0 | 0 | 2.7 | 2 | 273.5 | 0 | .4 | 278.6 |
| 2015 | 4 | .8 | 7.5 | 28.6 | 377.2 | 2.1 | 14 | 434.2 |
| 2016 | 0 | .4 | 0 | .2 | 11.0 | 8.2 | .2 | 20.0 |
| 2017 | .8 | 0 | 0 | 0 | 0 | 1.6 | .8 | 3.2 |
| 2018 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 |
| 2019 | .6 | .5 | 4.975 | .7 | 22.25 | 6.45 | 2 | 37. |
| 2020 | 1 | 0 | 1.6 | 1.9 | 28.2 | .9 | 0 | 33.6 |
| 2021 | 32.1 | 30.5 | 8.1 | 4.45 | 130.2 | 5.2 | 4.4 | 214.95 |
| 2022 | .9 | 0 | 0 | 4.4 | 54.35 | .5 | .6 | 60.75 |
| 2023 | .2 | 0. | .7 | .1 | 0. | 0. | 0. | 1. |

WIDGEON GRASS:

| | | | | | | | | | |
|------|------|------|------|------|------|-------|------|------|-------|
| Year | 2002 | 18.6 | 42.8 | 33.8 | 5.4 | 41.4 | 47.4 | 11.4 | 200.8 |
| | 2003 | 27.9 | 78 | 87.7 | 20.6 | 130.8 | 55 | 13.4 | 413.4 |
| | 2004 | 3 | 4.8 | 0 | 1.6 | 4.4 | 12.6 | 30.6 | 57 |
| | 2005 | 65 | 12 | 36.6 | 33.6 | 306.8 | 67.6 | 25.6 | 547.2 |
| | 2006 | 66.5 | 5 | 41.5 | 8.4 | 229.6 | 17.2 | 10 | 378.2 |
| | 2007 | 18 | 0 | .8 | .5 | 221.8 | 9.6 | 2 | 253.2 |
| | 2008 | 5.4 | .4 | 1.6 | 6.8 | 262.6 | 6.6 | 15 | 298.2 |
| | 2009 | 36.4 | 20 | 30 | 42.8 | 281.6 | 78.8 | 15 | 504.6 |
| | 2010 | 14.3 | 7.2 | 19.1 | 47.7 | 6.3 | 41.8 | 78.8 | 215.2 |
| | 2011 | .4 | 2.4 | 4 | 10.8 | 433.1 | 73.6 | 14.4 | 538.7 |
| | 2012 | 3.2 | 15.2 | 30 | 59.8 | 254.8 | 43.5 | 17 | 423.5 |
| | 2013 | 4 | 2.4 | 5.6 | 3.2 | 81.4 | 4.4 | .8 | 101.8 |
| | 2014 | 0 | 0 | 1.5 | 2 | 211.6 | 0 | .2 | 215.3 |
| | 2015 | 4.4 | 9.4 | 6.5 | 20.6 | 344.8 | .4 | 6 | 392.1 |
| | 2016 | 0 | 0 | 0 | .2 | 44.5 | 7.2 | 0 | 51.9 |
| | 2017 | 3.2 | 0 | 0 | 4 | 0 | 1.8 | 2.4 | 11.4 |
| | 2018 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 2 |
| | 2019 | 5.3 | .1 | .8 | 1 | 14 | 2.15 | 1 | 24. |
| | 2020 | .5 | 0 | 1.8 | 0 | 7.1 | .3 | 0 | 9.7 |
| | 2021 | 1.4 | 0 | .2 | 0 | 2.8 | 0 | 0 | 4.4 |
| | 2022 | .3 | 0 | 0 | 0 | 0 | .6 | 0 | .9 |
| | 2023 | 1.9 | .6 | 2.1 | .4 | 3 | .6 | 0 | 8.6 |

OTHER SPECIES:

| | | | | | | | | | |
|------|------|-------|------|-------|------|-------|------|-------|-------|
| Year | 2010 | 11.2 | 1.5 | 37.4 | 44.4 | 6.7 | 78.5 | 102.2 | 281.9 |
| | 2011 | 1.4 | 4.4 | 3.6 | 2 | 174 | 67.4 | 15.6 | 268.4 |
| | 2012 | 4.8 | 16 | 24 | 6.8 | 156 | 16.9 | 0 | 224.5 |
| | 2013 | 17.2 | 12.8 | 24 | 6.8 | 75.6 | 16 | 3.8 | 156.2 |
| | 2014 | 0 | 0 | 4.8 | 0 | 27.7 | 0 | .4 | 32.9 |
| | 2015 | 3.6 | 1.8 | 1 | 6.8 | 7 | 5.5 | .0 | 25.7 |
| | 2016 | 0 | 4 | 6 | 3.6 | 35.5 | 36.4 | 4.6 | 90.1 |
| | 2017 | 4 | 2 | 4 | 3 | 3 | 18.2 | 6.8 | 41 |
| | 2018 | 2 | 1 | 2 | 1 | 1 | 5 | 2 | 14 |
| | 2019 | 1.1 | .85 | 4.575 | 3.3 | 46.35 | 14.4 | 11 | 82 |
| | 2020 | 21.1 | 0 | 16.6 | 7.1 | 192.9 | 5.8 | 10 | 253.5 |
| | 2021 | 34.65 | 6.5 | 9.7 | 3.55 | 89 | 2.8 | 4.6 | 150.8 |
| | 2022 | 7.8 | 0 | 0 | 6.6 | 104 | 1.9 | 4 | 124.3 |
| | 2023 | 10.9 | 12.4 | 20.9 | 6.5 | 13 | 2.4 | 6 | 72.1 |

CAMP LAKE TOTAL HARVESTER LOADS MILFOIL, WIDGEON GRASS & OTHER SPECIES:

| Location: | CA 1 | CA 2 | CA 3 | CA 4 | CA 5 | CA 6 | CA 7 | TOTAL |
|-----------|-------|-------|-------|-------|--------|-------|------|---------|
| Year 2002 | 140 | 192.9 | 216 | 36 | 382 | 241 | 64 | 1,271.9 |
| 2003 | 132.9 | 247 | 220.7 | 54 | 480.4 | 150 | 56 | 1,341 |
| 2004 | 6 | 21.6 | 4 | 8 | 32 | 56.6 | 80.2 | 108.4 |
| 2005 | 137.4 | 45 | 52 | 88 | 810 | 131.6 | 39 | 1,303 |
| 2006 | 74.8 | 21 | 51 | 32 | 543.4 | 24.2 | 21.2 | 768 |
| 2007 | 34.4 | 0 | 3.6 | 5.4 | 837.4 | 40 | 4 | 904.8 |
| 2008 | 6 | 2 | 4 | 13.8 | 552 | 11 | 37 | 625.8 |
| 2009 | 64.4 | 32 | 47.4 | 60.6 | 321.3 | 169.4 | 27.6 | 722.7 |
| 2010 | 29.6 | 34.6 | 68.6 | 126.6 | 32 | 178 | 223 | 692.4 |
| 2011 | 2 | 8 | 8 | 14 | 648 | 156 | 32 | 868 |
| 2112 | 8 | 43.2 | 54 | 67 | 436.8 | 61 | 17 | 687 |
| 2013 | 26 | 18 | 36 | 12 | 222 | 24 | 6 | 344 |
| 2014 | 0 | 0 | 9 | 4 | 512.8 | 0 | 1 | 526.8 |
| 2015 | 12 | 12 | 15 | 56 | 729 | 8 | 20 | 852 |
| 2016 | 0 | 4.4 | 6 | 4 | 91 | 51.8 | 4.8 | 162 |
| 2017 | 8 | 2 | 4 | 7 | 3 | 21.6 | 10 | 55.6 |
| 2018 | 2 | 1 | 2 | 2 | 1 | 5 | 5 | 18 |
| 2019 | 7 | 1 | 10.5 | 5 | 82.6 | 23 | 14 | 143 |
| 2020 | 22.6 | 0 | 20 | 9 | 228.2 | 7 | 10 | 296.8 |
| 2021 | 68.15 | 37 | 18 | 8 | 222 | 8 | 9 | 370.15 |
| 2022 | 9 | 0 | 0 | 11 | 158.35 | 3 | 4.6 | 185.95 |
| 2023 | 13 | 13 | 23.2 | 7 | 16 | 3 | 6 | 81.2 |

**CENTER LAKE
HARVESTER LOAD SUMMARY
BY AQUATIC SPECIES**

| Location: | CE 1 | CE 2 | CE 3 | CE 4 | CE 5 | CE 6 | CE 7 | TOTAL |
|-----------------|-------|------|-------|------|------|-------|------|--------|
| MILFOIL: | | | | | | | | |
| Year: 2002 | 47.5 | 22.6 | 11.75 | 3.6 | 18.9 | 47.8 | 14.4 | 166.55 |
| 2003 | 52.9 | 26 | 26.8 | 21.5 | 16.4 | 46.2 | 10.8 | 200.6 |
| 2004 | 61.6 | 16.6 | 18.2 | 29.8 | 8.4 | 109.4 | 79.8 | 323.8 |
| 2005 | 129.8 | 14 | 8.6 | 10.6 | 26.6 | 39 | 40 | 268.6 |
| 2006 | 46.8 | 26 | 3 | 1.5 | 9.8 | 5.8 | 5.6 | 98.5 |
| 2007 | 6.5 | 0 | 0 | 0 | 3 | 6.4 | 7 | 22.9 |
| 2008 | 60.6 | .8 | 3.6 | 7.5 | 3 | 7 | 2.8 | 85.2 |
| 2009 | 11.2 | 0 | 0 | 0 | 1.6 | 15.2 | 4.6 | 32.6 |
| 2010 | 19.9 | 4.8 | 0 | 1.4 | 0 | 1.2 | 0 | 27.3 |
| 2011 | 5.2 | 0 | .6 | 0 | 0 | 0 | 0 | 5.8 |
| 2012 | 33.2 | 0 | 0 | 0 | 0 | 0 | 0 | 33.2 |
| 2013 | 7.8 | 1.3 | 2.4 | 0 | 1.7 | .7 | 1.3 | 15.2 |
| 2014 | 0 | 1.2 | 0 | 0 | 0 | 0 | 0 | 1.2 |
| 2015 | .4 | 0 | 0 | 0 | 0 | 0 | 0 | .4 |
| 2016 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2017 | 0 | 0 | 3.3 | 0 | 0 | 0 | 0 | 3.3 |
| 2018 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 3 |
| 2019 | 6.3 | 2.15 | 4.7 | .4 | .65 | 2.8 | .45 | 17. |
| 2020 | .4 | .5 | .3 | 0 | 0 | 0 | 0 | 1.2 |
| 2021 | 7 | 21.1 | 10.6 | 3.5 | 6.4 | 34.5 | 0 | 83.1 |
| 2022 | 3.5 | 26.1 | 10.4 | 0 | 8.2 | 12.5 | 3 | 63.7 |
| 2023 | 2.2 | 4.05 | 3.05 | 2 | .8 | 0 | .4 | 12.5 |

WIDGEON GRASS:

| | | | | | | | | |
|------------|------|-------|-------|-----|-----|-------|------|-------|
| Year: 2002 | 7 | 2.4 | 1.25 | .4 | 2.1 | 8.2 | 1.6 | 22.45 |
| 2003 | 11.1 | 4 | 4.2 | 4.5 | 2.6 | 24.8 | 3.2 | 54.4 |
| 2004 | 14.4 | 9.4 | 3.8 | 6.2 | 1.6 | 44.6 | 26.2 | 106.2 |
| 2005 | 10.2 | 4 | 4.6 | .4 | 5.4 | 14.10 | 0 | 38.8 |
| 2006 | .2 | 0 | 0 | .50 | 1.2 | 4.2 | 2.6 | 8.7 |
| 2007 | 7.5 | 0 | 0 | 0 | 0 | 10 | 5 | 22.5 |
| 2008 | 14.4 | 2.4 | .4 | .6 | 3 | 6 | .4 | 27.2 |
| 2009 | 3 | 0 | 0 | 0 | 2.4 | 13.6 | 3.4 | 22.4 |
| 2010 | 2.9 | .8 | 0 | 0 | 0 | 0 | 0 | 3.7 |
| 2011 | .3 | 0 | 3.1 | 0 | 0 | 0 | 0 | 3.4 |
| 2012 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2013 | 0 | 0 | 0 | 0 | 0 | .4 | 0 | .4 |
| 2014 | .5 | .8 | .6 | 0 | .6 | 1.6 | 0 | 4.1 |
| 2015 | 1 | 0 | 0 | 0 | .8 | 17.6 | 0 | 19.4 |
| 2016 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2017 | .8 | 0 | .2 | 0 | 0 | 0 | 0 | 1 |
| 2018 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 |
| 2019 | 5.4 | .15 | .10 | 0 | .20 | .9 | .30 | 7. |
| 2020 | .6 | .5 | 0 | 0 | .5 | 0 | 0 | 1.6 |
| 2021 | 0 | 6.9 | 6 | 3.5 | 0 | 13.1 | 0 | 29.5 |
| 2022 | 0 | 4.6 | 6.1 | 0 | .4 | 2.1 | 3 | 16.2 |
| 2023 | 2.3 | 8.225 | 6.475 | 0 | .8 | 0 | 0 | 17.8 |

OTHER SPECIES:

| | | | | | | | | | |
|------|------|------|--------|-------|-----|------|-----|-------|------|
| Year | 2010 | 9.9 | 2.4 | 0 | .6 | 0 | .8 | 0 | 13.7 |
| | 2011 | 5.5 | 0 | 10.9 | 0 | 0 | 0 | 0 | 16.4 |
| | 2012 | 22.8 | 0 | 0 | 0 | 0 | 0 | 14 | 36.8 |
| | 2013 | 44.2 | 3.7 | 5.6 | 0 | 7.3 | 9.9 | 13.7 | 84.4 |
| | 2014 | 10.5 | 4 | 5.4 | 0 | 2.4 | 5 | 5 | 32.3 |
| | 2015 | 18.6 | 0 | 0 | 0 | 3.2 | .4 | 12 | 34.2 |
| | 2016 | 52 | 0 | 0 | 0 | 0 | 14 | 13 | 79 |
| | 2017 | 20.2 | 0 | 8.5 | 0 | 0 | 0 | 4 | 32.7 |
| | 2018 | 10 | 0 | 2 | 0 | 0 | 0 | 1 | 13 |
| | 2019 | 20.3 | 6.7 | 2.2 | 3.6 | 2.15 | 5.3 | 11.25 | 52 |
| | 2020 | 9 | 8 | 27.7 | 0 | 5.5 | 0 | 4 | 54.2 |
| | 2021 | 3.5 | 9.3 | 3.4 | 0 | 1.6 | 2.6 | 0 | 20.4 |
| | 2022 | 1.5 | 4.3 | 4.5 | 0 | 3.4 | 1.2 | 0 | 14.9 |
| | 2023 | 43.5 | 21.225 | 6.975 | 3 | 4.4 | 10 | 6.6 | 95.7 |

CENTER LAKE TOTAL HARVESTER LOADS MILFOIL, WIDGEON GRASS & OTHER SPECIES:

| | | | | | | | | |
|------------|------|------|------|----|-----|------|-----|-------|
| Year: 2002 | 54 | 25 | 13 | 4 | 21 | 56 | 16 | 189 |
| 2003 | 64 | 30 | 31 | 26 | 19 | 71 | 14 | 255 |
| 2004 | 76 | 26 | 22 | 36 | 10 | 154 | 106 | 430 |
| 2005 | 140 | 18 | 13.2 | 12 | 32 | 53.2 | 40 | 308.4 |
| 2006 | 47 | 26 | 3 | 2 | 11 | 10 | 8.2 | 107.2 |
| 2007 | 14 | 0 | 0 | 0 | 3 | 16.4 | 12 | 45.4 |
| 2008 | 75 | 3 | 4 | 8 | 6 | 13 | 3.2 | 112.2 |
| 2009 | 14.2 | 0 | 0 | 0 | 4 | 28.8 | 8 | 55 |
| 2010 | 32.7 | 8 | 0 | 2 | 0 | 2 | 0 | 44.7 |
| 2011 | 11 | 0 | 14.6 | 0 | 0 | 0 | 0 | 25.6 |
| 2012 | 56 | 0 | 0 | 0 | 0 | 0 | 14 | 70 |
| 2013 | 52 | 5 | 8 | 0 | 9 | 11 | 15 | 100 |
| 2014 | 11 | 6 | 6 | 0 | 3 | 6.6 | 5 | 37.6 |
| 2015 | 20 | 0 | 0 | 0 | 4 | 18 | 12 | 54 |
| 2016 | 52 | 0 | 0 | 0 | 0 | 14 | 13 | 79 |
| 2017 | 21 | 0 | 12 | 0 | 0 | 0 | 4 | 37 |
| 2018 | 13 | 0 | 2 | 0 | 0 | 1 | 1 | 17 |
| 2019 | 34 | 9 | 7 | 4 | .65 | 9 | 12 | 76 |
| 2020 | 10 | 9 | 28 | 0 | 6 | 0 | 4 | 57 |
| 2021 | 10.5 | 37.3 | 20 | 7 | 8 | 50.2 | 0 | 133 |
| 2022 | 5 | 35 | 21 | 0 | 12 | 15.8 | 6 | 94.8 |
| 2023 | 48 | 33.5 | 16.5 | 5 | 6 | 10 | 7 | 126 |

**TOTAL
CAMP, CENTER LAKE
HARVESTER LOAD SUMMARY
BY AQUATIC SPECIES**

MILFOIL:

| | | |
|------------|----------|--|
| Year: 2002 | 1,237.65 | |
| 2003 | 1,128.2 | - 9% less than 2002 or 54.7 less loads than 2002 |
| 2004 | 475.2 | - 58% less than 2003 or 326.5 less loads than 2003 |
| 2005 | 1,025 | +116% more than 2004 or 274.5 more loads than 2004 |
| 2006 | 488.2 | - 52% less than 2005 or 268.4 less loads than 2005 |
| 2007 | 674.5 | + 38% more than 2006 or 93.2 more loads than 2006 |
| 2008 | 412.6 | - 39% less than 2007 or 131 less loads than 2007 |
| 2009 | 250.8 | - 39% less than 2008 or 80 less loads than 2008 |
| 2010 | 209 | - 17% less than 2009 or 41.8 less loads than 2009 |
| 2011 | 66.7 | - 69% less than 2010 or 142.3 less loads than 2010 |
| 2012 | 72.2 | + 8% more than 2011 or 5.5 more loads than 2011 |
| 2013 | 101.2 | + 40% more than 2012 or 29 more loads than 2012 |
| 2014 | 279.8 | +176% more than 2013 or 178.6 more loads than 2013 |
| 2015 | 434.6 | + 55% more than 2014 or 154.8 more loads than 2014 |
| 2016 | 20 | - 95% less than 2015 or 415 less loads than 2015 |
| 2017 | 6.5 | - 68% less than 2016 or 13.5 less loads than 2016 |
| 2018 | 5 | - 27% less than 2017 or 1.5 less loads than 2017 |
| 2019 | 55 | +1000% more than 2018 or 50 more loads than 2018 |
| 2020 | 34.8 | - 37% less than 2019 or 35 less loads than 2019 |
| 2021 | 298.5 | +758% more than 2020 or 265.7 more loads than 2020 |
| 2022 | 124.5 | - 58% less than 2021 or 174 less loads than 2021 |
| 2023 | 13.5 | - 89% less than 2022 or 111 less loads than 2022 |

WIDGEON GRASS:

| | | |
|------------|--------|--|
| Year: 2002 | 223.25 | |
| 2003 | 467.8 | +110% more than 2002 or 122 more loads than 2002 |
| 2004 | 163.2 | - 65% less than 2003 or 152.3 less loads than 2003 |
| 2005 | 586 | +258% more than 2004 or 211 more loads than 2004 |
| 2006 | 386.8 | - 34% less than 2005 or 99.6 less loads than 2005 |
| 2007 | 275.7 | - 29% less than 2006 or 55.6 less loads than 2006 |
| 2008 | 325.4 | + 18% more than 2007 or 24.9 more loads than 2007 |
| 2009 | 527 | + 62% more than 2008 or 100.8 more loads than 2008 |
| 2010 | 218.9 | - 58% less than 2009 or 308.1 less loads than 2009 |
| 2011 | 542.1 | +149% more than 2010 or 323.2 more loads than 2010 |
| 2012 | 423.5 | - 22% less than 2011 or 118.6 less loads than 2011 |
| 2013 | 102.2 | - 76% less than 2012 or 321.3 less loads than 2012 |
| 2014 | 219.4 | +115% more than 2013 or 117.2 more loads than 2013 |
| 2015 | 411.5 | + 88% more than 2014 or 192.1 more loads than 2014 |
| 2016 | 51 | - 88% less than 2015 or 361 less loads than 2015 |
| 2017 | 12.4 | - 76% less than 2016 or 38.6 less loads than 2016 |
| 2018 | 3 | - 75% less than 2017 or 9.4 less loads than 2017 |
| 2019 | 32 | +967% more than 2018 or 29 loads more than 2018 |
| 2020 | 11.3 | - 65% less than 2019 or 21 less loads than 2019 |
| 2021 | 33.9 | +200% more than 2020 or 23 more loads than 2020 |
| 2022 | 17.1 | - 50% less than 2021 or 16 less loads than 2021 |
| 2023 | 26.4 | + 54% more than 2022 or 9 more loads than 2022 |

OTHER SPECIES:

| | | |
|------|-------|--|
| 2010 | 295. | |
| 2011 | 285 | - 3% less than 2010 or 10 less loads than 2010 |
| 2012 | 261.3 | - 8% less than 2011 or 23.7 less loads than 2011 |
| 2013 | 240.6 | - 8% less than 2012 or 20.7 less loads than 2012 |
| 2014 | 65.2 | - 73% less than 2013 or 175.4 less loads than 2013 |
| 2015 | 59.9 | - 8% less than 2014 or 5.3 less loads than 2014 |
| 2016 | 169.1 | +182% more than 2015 or 109 loads more than 2015 |
| 2017 | 73.7 | - 56% less than 2016 or 95.4 loads less than 2016 |
| 2018 | 27 | - 63% less than 2017 or 46.7 loads less than 2017 |
| 2019 | 133 | +393% more than 2018 or 106 loads more than 2018 |
| 2020 | 307.7 | +131% more than 2019 or 175 loads more than 2019 |
| 2021 | 171.2 | - 44% less than 2020 or 136 loads less than 2020 |
| 2022 | 139.2 | - 19% less than 2021 or 32 loads less than 2021 |
| 2023 | 167.8 | + 21% more than 2022 or 29 loads more than 2022 |

TOTAL HARVESTER LOADS MILFOIL, WIDGEON GRASS & OTHER SPECIES:

| | | |
|------------|---------|---|
| Year: 2002 | 1,460.9 | |
| 2003 | 1,596 | + 9% more than 2002 or 67.6 more loads than 2002 |
| 2004 | 638.4 | - 60% less than 2003 or 479 less loads than 2003 |
| 2005 | 1,611 | +152% more than 2004 or 485.6 more loads than 2004 |
| 2006 | 875.2 | - 46% less than 2005 or 367.9 less loads than 2005 |
| 2007 | 950.2 | + 9% more than 2006 or 37.5 more loads than 2006 |
| 2008 | 738 | - 22% less than 2007 or 106 less loads than 2007 |
| 2009 | 777.8 | + 5% more than 2008 or 19.9 more loads than 2008 |
| 2010 | 728.9 | - 6% less than 2009 or 54.8 less loads than 2009 |
| 2011 | 893.5 | + 23% more than 2010 or 170.5 more loads than 2010 |
| 2012 | 757.0 | - 15% less than 2011 or 136.5 less loads than 2011 |
| 2013 | 444 | - 41% less than 2012 or 313 less loads than 2012 |
| 2014 | 564.4 | + 27% more than 2013 or 120.4 more loads than 2013 |
| 2015 | 906 | + 61% more than 2014 or 341.6 more loads than 2014 |
| 2016 | 240 | - 74% less than 2015 or 666 less loads than 2015 |
| 2017 | 92.6 | - 62% less than 2016 or 147 less loads than 2016 |
| 2018 | 35 | - 62% less than 2017 or 57.6 less loads than 2017 |
| 2019 | 220 | + 59% more than 2018 or 185 more loads than 2018 (138% over 2017) |
| 2020 | 353.8 | + 62% more than 2019 or 134 more loads than 2019 |
| 2021 | 503.6 | + 42% more than 2020 or 150 more loads than 2020 |
| 2022 | 280.8 | - 44% less than 2021 or 222.8 less loads than 2021 |
| 2023 | 207.7 | - 26% less than 2022 or 73 less loads than 2022 |

EXHIBIT III

**TOTAL
CAMP, CENTER LAKE
TONNAGE SUMMARY:**

TOTAL TONNAGE MILFOIL, WIDGEON GRASS & OTHER SPECIES:

| | | |
|------------|---------|---------------------------------------|
| Year: 2002 | 2,921.8 | |
| 2003 | 3,192 | + 9% or 270.2 tons more than 2002 |
| 2004 | 1,276.8 | - 60% or 1,915.2 tons less than 2003 |
| 2005 | 3,219.3 | + 152% or 1,942.5 tons more than 2004 |
| 2006 | 1,750.4 | - 46% or 1,468.9 tons less than 2005 |
| 2007 | 1,900.4 | + 9% or 150 tons more than 2006 |
| 2008 | 1,476.2 | - 22% or 424.2 tons less than 2007 |
| 2009 | 1,555.6 | + 5% or 79.4 tons more than 2008 |
| 2010 | 1,446.8 | - 7% or 108.8 tons less than 2009 |
| 2011 | 1,787 | + 24% or 340 tons more than 2010 |
| 2012 | 1,514 | - 15% or 273 tons less than 2011 |
| 2013 | 888 | - 41% or 626 tons less than 2012 |
| 2014 | 1,128.8 | + 27% or 240.8 tons more than 2013 |
| 2015 | 1,812 | + 61% or 683.2 tons more than 2014 |
| 2016 | 480 | - 74% or 1,332 tons less than 2015 |
| 2017 | 185.2 | - 62% or 294.8 tons less than 2016 |
| 2018 | 70 | - 62% or 115.2 tons less than 2017 |
| 2019 | 440 | +529% or 370 tons more than 2018 |
| 2020 | 708 | + 61% or 268 tons more than 2019 |
| 2021 | 1,007 | + 42% or 299 tons more than 2020 |
| 2022 | 561.6 | - 44% or 445.4 tons less than 2021 |
| 2023 | 415.4 | - 26% or 146.2 tons less than 2022 |